TOWNSEND
and
TOWNSEND
and
CREW

Pato Alto, California Tel 650 326-2400

Wainut Creek, California Tel 925 472-5000

San Diego, California Tel 858 350-6100

Denver, Colorado Tel 303 571-4000

Seattle, Washington Tel 206 467-9600

#### **Gan Francisco**

Two Embarcadero Center Eighth Floor San Francisco California 94111-3834 Tel 415 576-0200 Fax 415 576-0300

#### **FACSIMILE COVER SHEET**

Date: April 27, 2004	Client & Matter Number: 080056-000200US	No. Pages (including this one):
To: Examiner Mark Shibuya c/o Andrew Wang USPTO	At Fax Number: (571)-273-0811	Confirmation Phone Number:

From: Joel G. Ackerman

(4057)

Return to: Lois M. Simón - (4057)

Message: Please forward this facsimile to Examiner Shibuya per his instructions.

Examiner Shibuya, please review this draft amended claim and then call me to discuss whether it will be acceptable to overcome the objection to the previous response.

Please note that we are proposing to respond by substituting the use of groups  $M^3$  -  $M^6$  in place of the  $Q^3$  and  $Q^4$  groups.

ORAFT.

Original Will:

BE SENT BY MAIL

BE SENT BY FEDEX/OVERNIGHT COURIER

BE SENT BY MESSENGER X NOT BY MESSENGER X N

If you have problems with reception please call Fax Services at extension 4659

Important

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and/or exempt from disclosure by applicable law or court order. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the above address via the United States Postal Service. Thank you.

60203337 v1

Faxed:

03/26/2004 15:06 FAX 415 576 0300

**2001** 

\*\*\*\*\*\*\*\*\*\*\*\*\*\* **\***\*\* TX REPORT \*\*\* \*\*\*\*\*\*\*\*\*\*\*

TRANSMISSION OK

TX/RX NO RECIPIENT ADDRESS DESTINATION ID

4050 ##015780#15712730805#

ST. TIME TIME USE PAGES SENT RESULT

03/26 15:05 00'53 3 OK

**TOWNSEND** 

TOWNSEND

and

CREW

Palo Alto, Catifornia Tel 650 326-2400

Walnut Creek, California Tel 925 472-5000

San Diego, California Tel 858 350-6100

Danver, Coloredo Tel 303 571-4000

Seattle, Washington Tel 206 467-9600

# FACSIMILE COVER SHEET

Client & Matter Number: Date: March 26, 2004

ORAFT

080056-000200US

No. Pages (including this one):

San Francisco

Eighth Floor San Francisco

Two Embarcadero Center

California 94111-3834

Tel 415 576-0200

Fax 415 576-0300

Confirmation Phone Number: At Fax Number: (571)-272-0805 (571)-273-0805 Examiner Maurie Garcia Baker

From: Joel G. Ackerman

USPTO

(4057)

Message: Further to my voice mail message, please review this draft amended claim and then call me to discuss whether it will be acceptable to overcome the objection to the previous response.

Please note that we are proposing to respond by susbtituting the use of groups M3 - M6 in place of the Q<sup>3</sup> and Q<sup>4</sup> groups.


Best Available Copy

# Application 09/647,054

## TTC docket 080056-000200US

## DRAFT AMENDED CLAIM

113 (currently amended): A general mimetic of the structure



wherein:

indicates a bond at a chiral centre of the structure which centre may be in the R or S configuration or a mixture thereof;

R, R<sup>1</sup> and R<sup>2</sup> is an are amino acid side chain groups which may be the same or different;

M' and M" may be the same or different and are selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, chloro and C<sub>1</sub>-C<sub>4</sub> alkoxy;

M<sup>3</sup>, M<sup>4</sup>, M<sup>5</sup> and M<sup>6</sup> define a lactam as follows:

**2**003/004

(i) M <sup>3</sup> , M <sup>4</sup> when taken together with the ring carbon to which they are attached form a
carbonyl group, $M^5$ and $M^6 = H$ , or
(ii) $M^3$ is H and $M^4 = M'$ , $M^5$ and $M^6$ when taken to gether with the carbon atom to which
they are attached form a carbonyl group;
Z' is selected from the group consisting of hydrogen methyl and part of a cyclic amino
acid sidechain joined to Q <sup>4</sup> -R <sup>1</sup> ;
PgN is a protecting group for amine;
RC is selected from the group consisting of a carboxy terminal part of the mimetic,
hydrogen, R, and CH <sub>2</sub> R; and
——————————————————————————————————————
from the group consisting of hydrogen, methyl, ethyl, formyl and acetyl, -CH <sub>2</sub> R, and C(O)R or
alternatively Z is part of a cyclic amino acid sidechain group joined to R2, or Q1 and Q2 taken
together represent a cyclic group;
——————————————————————————————————————
C(O)N(Q <sup>5</sup> )CH(R) CH <sub>2</sub> —wherein Q <sup>5</sup> is a covalent bond from the Q <sup>4</sup> group to the nitrogen atom in
Q <sup>3</sup> to form a bicyclic ring system;
——Q <sup>4</sup> -is selected from the group consisting of CH(M'), C(O), CH(Q <sup>5</sup> )CH <sub>2</sub> and CH(Q <sup>5</sup> )C(O);
— with the provises that when:
(i) Q <sup>3</sup> is C(O), then Q <sup>4</sup> = CH(M');
$Q^3 - is CH_2, then Q^4 - C(O);$
$-\frac{(iii)}{Q^3} \text{ is } \frac{C(O)N(Q^5)CH(R)C(O)}{Q^5}, \text{ then } Q^4 = CH(Q^5)CH_2;$
$\frac{\text{(iv)}  Q^3 \text{ is -C(O)N(Q^5)CH(R) CH2-, then Q^4CH(Q^5)C(O);}}{\text{(iv)}  Q^3 \text{ is -C(O)N(Q^5)CH(R) CH2-, then Q^4CH(Q^5)C(O);}}$
where Q <sup>5</sup> is a covalent bond from the Q <sup>4</sup> group to the nitrogen atom in Q <sup>2</sup> which
is a cyclization forming a bicyclic ring system. 60175367 v1

Available Copy